TECHNICAL DATASHEET WIPES

INTEGRITY® WIPE 125 GSM COLD KNIFE EDGE

601-4000

The light weight cold knife edge Polyester wipe is a double knit and interlock patterned wipe, 100% continuous-filament polyester. Laundered and packaged in a cleanroom. All integrity wipes are tested and manufactured in ISO compliant facilities.

FEATURES

- Low levels of particulate and extractable counts.
- Good absorbency and wiping efficiency.
- Resits abrasion under rigorous use.
- · Available in various sizes and packaging configurations.
- Solvent safe, double bagged and vacuum cleanroom packed.
- · Available sterile by gamma irradiation.

APPLICATIONS

- Suitable for class ISO 5-6 cleanrooms.
- Cleaning of surfaces to control submicron particles, fibers, and chemical residue.



ATTRIBUTE	VALUE	TEST METHOD
Basis Weight	125 +/- 5 gsm	TAPPI-410
Thickness	0.016 ~ 0.019 in (0.42 - 0.50 mm)	Fabric thickness tester
Absorbency Rate & Capacity Sorptive Capacity Sorptive Rate	≥ 290 ml / m² < 1 Sec	IEST-RP-CC004.3, Sec 8.2
Contamination Characteristics Nonvolatile Residue NVR IPA Extractant DIW Extractant	0.018g / m ² 0.023g / m ²	IEST-RP-CC004.3, Sec 7.1.2



To request a quotation or for more information, please call +1 512-713-0127, email info@integritycleanroom.com or visit www.integritycleanroom.com.

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © Integrity Cleanroom



Integrity US Round Rock, Texas









ATTRIBUTE	VALUE	TEST METHOD
FTIR Ion Content	No Silicon Oil, Amide and DOP detected	
Chloride (CI)	< 2 ppm	
Nitrate (NO3)	< 2 ppm	
Nitrite (NO2)	< 2 ppm	
Sulphate (SO4)	< 2 ppm	
Sodium (Na)	< 2 ppm	
Flouride (F)	< 2 ppm	JECT DD 00004 2 C 7 2 2
Bromide (Br)	< 2 ppm	IEST-RP.CC004.3, Sec 7.2.2
Phosphate (PO)	< 2 ppm	
Magnesium (Mg)	< 2 ppm	
Lithium (Li)	< 2 ppm	
Potassium (K)	< 2 ppm	
Ammonium (NH)	< 2 ppm	

RELEASABLE PARTICLES	UNITS	VALUE	TEST METHOD IEST-RP.CC004.3, SEC 7.1.2
LPC (≥ 0.5 μm)	x 106 /m²	11	IEST-RP.CC004.3, Sec 6.1.3/ Sec 6.1.4
APC ≥ 0.5 μm	Counts / P	60	IEST-RP.CC003.2, Helmke Drum @10 rpm
Fiber≥100 μm	Counts /m²	6.6	IEST-RP.CC004.3, Sec 6.1.3/ Sec 6.2.2

PRODUCT CODE	SIZE	PACKAGING
601-4000	9"x 9"	150 wipes/bag, 8 bags/case, 1200 wipes/case, double bag and vacuum cleanroom packedcarton lined.

Data shown are typical values and should not be used as specifications.



To request a quotation or for more information, please call +1 512-713-0127, email info@integritycleanroom.com or visit www.integritycleanroom.com.

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © Integrity Cleanroom.







Integrity UK
Bury St Edmunds, Suffolk



601-4000 | 27 OCTOBER 2020 4:47 PM